RAW SEQUENCE LISTING

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

10/552 9098
1FWO.
. 1/19/07

ENTERED



IFWO

RAW SEQUENCE LISTING DATE: 01/19/2007 PATENT APPLICATION: US/10/552,909B TIME: 16:26:48

Input Set : N:\KEISHA\10552909b.txt

Output Set: N:\CRF4\01192007\J552909B.raw

```
3 <110> APPLICANT: Xiao, Yingxao
              Feng, Xin-Hua
      6 <120> TITLE OF INVENTION: Gene expression suppression agents
      8 <130> FILE REFERENCE: 132848-01US
     10 <140> CURRENT APPLICATION NUMBER: US 10/552,909B
     11 <141> CURRENT FILING DATE: 2005-10-13
     13 <160> NUMBER OF SEQ ID NOS: 9
     15 <210> SEQ ID NO: 1
     16 <211> LENGTH: 27
     17 <212> .TYPE: DNA
     18 <213> ORGANISM: Human
     20 <220> FEATURE:
     21 <221> NAME/KEY: primer bind
     22 <223> OTHER INFORMATION: Primer to amplify upstream promoter containing Box D in the
Human 5S RNA
     23
              gene
     25 <300> PUBLICATION INFORMATION:
     26 <310> PATENT DOC NO: PCT WO 2004/106488 A2
     27 <311> PATENT FILING DATE: 2003-05-12
     28 <312> PUBLICATION DATE: 2004-12-09
     30 <400> SEQUENCE: 1
     31 aacggatcca aaacgctgcc tccgcga 27
     33 <210> SEQ ID NO: 2
     34 <211> LENGTH: 25
     35 <212> TYPE: DNA
     36 <213> ORGANISM: Human
     38 <220> FEATURE:
     39 <221> NAME/KEY: primer_bind
     40 <223> OTHER INFORMATION: Downstream reverse primer used to amplify the upstream
promoter containing
     41
              Box D in the Human 5S RNA gene. The sequence contains a Pst1 site at 7 bp
     42
              upstream of the transcription site.
     44 <400> SEQUENCE: 2
     45 tagacgctgc aggaggcgcc tggct
     51 <210> SEQ ID NO: 3
     52 <211> LENGTH: 269
     53 <212> TYPE: DNA
     54 <213> ORGANISM: Human
     56 <220> FEATURE:
     57 <221> NAME/KEY: promoter
     58 <223> OTHER INFORMATION: Calculated BamHI-PstI fragment of the upstream promoter
containing Box D
              in the Human 5S gene. Cloned into pBluescript-KS to give plasmid pPPVI.
     61 <400> SEQUENCE: 3
```

62 ggatccaaaa cgctgcctcc gcgacagggc ggaggacgga gggcgtccca ggatcgtggg 60
64 ccctgggcct gacgcctcgg agcactccct gctccgagcg ggcccgatgt ggtggaagct 120

```
DATE: 01/19/2007
                     RAW SEQUENCE LISTING
                     PATENT APPLICATION: US/10/552,909B
                                                               TIME: 16:26:48
                     Input Set : N:\KEISHA\10552909b.txt
                     Output Set: N:\CRF4\01192007\J552909B.raw
     66 cgggagcgcg ggagccgggg gaaggccgcg ggcagccgtc gggggtcccc gatccgagcc 180
     68 ccgcggcccc gggctggcgg tgtcggctgc aatccggcgg gcacggccgg ccgggctggg 240
     70 ctcttggggc agccaggcgc ctccttcag 269
     72 <210> SEQ ID NO: 4
     73 <211> LENGTH: 84
     74 <212> TYPE: DNA
     75 <213> ORGANISM: Human
     77 <220> FEATURE:
     78 <221> NAME/KEY: terminator
     79 <223> OTHER INFORMATION: Comprises Box A, C and terminator of the human 5S RNA gene.
Serves as a
     80
              top strand to anneal with SEQ ID NO: 5 to create a double-stranded DNA molecule.
     82 <400> SEQUENCE: 4
     84 agaagacgaa gctaagcagg gtcgggcctg gttagtactt ggatgggaga ccgcctggga 60
     86 ataccgggtg ctgtaggctt tttg 84
     89 <210> SEQ ID NO: 5
     90 <211> LENGTH: 88
     91 <212> TYPE: DNA
     92 <213> ORGANISM: Human
     94 <220> FEATURE:
     95 <221> NAME/KEY: terminator
     96 <223> OTHER INFORMATION: Comprises Box A, C and terminator of the human 5S RNA gene.
Serves as a
              top strand to anneal with SEQ ID NO: 4 to create a double-stranded DNA molecule.
     97
     99 <400> SEQUENCE: 5
     100 tegacaaaaa geetacagea eeeggtatte eeaggeggte teecateeaa gtaetaaeea 60
     102 ggcccgaccc tgcttagctt cgtcttct 88
     105 <210> SEQ ID NO: 6
     106 <211> LENGTH: 367
     107 <212> TYPE: DNA
     108 <213> ORGANISM: Human
     110 <220> FEATURE:
     111 <221> NAME/KEY: promoter
     112 <223> OTHER INFORMATION: A BamHI-SalI fragment of plasmid pPPV2 containing the
upstream promoter
     113
               containing Box D, A, C and the terminator of the Human 5S gene.
     115 <400> SEQUENCE: 6
     116 ggatccaaaa cgctgcctcc gcgacagggc ggaggacgga gggcgtccca ggatcgtggg 60
    118 ccctgggcct gacgcctcgg agcactccct gctccgagcg ggcccgatgt ggtggaagct 120
    120 cgggagcgcg ggagccgggg gaaggccgcg ggcagccgtc gggggtcccc gatccgagcc 180
    122 ccgcggcccc gggctggcgg tgtcggctgc aatccggcgg gcacggccgg ccgggctggg 240
    124 ctcttggggc agccaggcgc ctccttcagg aattcgatag aagacgaagc taagcagggt 300
    126 cgggcctggt tagtacttgg atgggagacc gcctgggaat accgggtgctg taggctttt 360
    128 tgtcgac 367
    130 <210> SEQ ID NO: 7
    131 <211> LENGTH: 51
    132 <212> TYPE: DNA
    133 <213> ORGANISM: Human
    135 <220> FEATURE:
    136 <221> NAME/KEY: misc RNA
    137 <222> LOCATION: Positioned with PstI at the 5' end and BbsI at the 3' end.
    138 <223> OTHER INFORMATION: Contains designed siRNA sequence. Serves as a top strand to
anneal with
```

DATE: 01/19/2007 RAW SEQUENCE LISTING TIME: 16:26:48 PATENT APPLICATION: US/10/552,909B Input Set : N:\KEISHA\10552909b.txt Output Set: N:\CRF4\01192007\J552909B.raw SEQ ID NO: 8 to create a double-stranded DNA molecule. The "n" bases represent any of the a, g, c, or t bases. 142 <400> SEQUENCE: 7 W--> 143 gcnnnnnnn nnnnnnnnn ntttcggnnn nnnnnnnnn nnnnntttt t 51 146 <210> SEQ ID NO: 8 147 <211> LENGTH: 59 148 <212> TYPE: DNA 149 <213> ORGANISM: Human 151 <220> FEATURE: 152 <221> NAME/KEY: misc RNA 153 <222> LOCATION: Positioned with PstI at the 5' end and BbsI at the 3' end. 154 <223> OTHER INFORMATION: Contains designed siRNA sequence. Serves as a top strand to SEQ ID NO: 7 to create a double-stranded DNA molecule. The "n" bases represent any of the a, g, c, or t bases. 158 <400> SEQUENCE: 8 W--> 159 agctaaaaan nnnnnnnnn nnnnnnnncc gaaannnnnn nnnnnnnnn nnngctgca 59 161 <210> SEQ ID NO: 9 162 <211> LENGTH: 399 163 <212> TYPE: DNA 164 <213> ORGANISM: Human 166 <220> FEATURE: 167 <221> NAME/KEY: misc_structure 168 <222> LOCATION: A BamHI-SalI fragment of plasmid pPPV2 containing the siRNA design. 169 <223> OTHER INFORMATION: The second stretch of the 19 "n" bases are complementary and

- 170 the first stretch. The "n" bases represent any of the a, g, c, or t bases. .
- 172 <400> SEQUENCE: 9

139

140

anneal with 155

reverse to

156

- 173 ggatccaaaa cgctgcctcc gcgacagggc ggaggacgga gggcgtccca ggatcgtggg 60
- 175 ccctgggcct gacgcctcgg agcactccct gctccgagcg ggcccgatgt ggtggaagct 120
- 177 egggagegeg ggageeggg gaaggeegeg ggeageegte gggggteece gateegagee 180
- 179 ccgcggcccc gggctggcgg tgtcggctgc aatccggcgg gcacggccgg ccgggctggg 240
- W--> 181 ctcttggggc agccaggcgc ctccttcagc nnnnnnnnn nnnnnnnnt ttcggnnnnn 300
- 183 nnnnnnnnn nnnnttttta gctaagcagg gtcgggcctg gttagtactt ggatgggaga 360
 - 185 ccgcctggga ataccgggtg ctgtaggctt tttgtcgac 399

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 01/19/2007 PATENT APPLICATION: US/10/552,909B TIME: 16:26:49

Input Set : N:\KEISHA\10552909b.txt

Output Set: N:\CRF4\01192007\J552909B.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:7; N Pos. 3,4,5,6,7,8,9,10,11,12,13,14,15,16,17,18,19,20,21,28,29,30
Seq#:7; N Pos. 31,32,33,34,35,36,37,38,39,40,41,42,43,44,45,46
Seq#:8; N Pos. 10,11,12,13,14,15,16,17,18,19,20,21,22,23,24,25,26,27,28,35
Seq#:8; N Pos. 36,37,38,39,40,41,42,43,44,45,46,47,48,49,50,51,52,53
Seq#:9; N Pos. 271,272,273,274,275,276,277,278,279,280,281,282,283,284,285
Seq#:9; N Pos. 286,287,288,289,296,297,298,299,300,301,302,303,304,305,306
Seq#:9; N Pos. 307,308,309,310,311,312,313,314

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:2; Line(s) 40
Seq#:4; Line(s) 80
Seq#:5; Line(s) 97
Seq#:7; Line(s) 139

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/552,909B

DATE: 01/19/2007 TIME: 16:26:49

Input Set : N:\KEISHA\10552909b.txt

Output Set: N:\CRF4\01192007\J552909B.raw

L:143 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0 L:159 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:8 after pos.:0 L:181 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:9 after pos.:240

M:341 Repeated in SeqNo=9